





Elevate windows to new heights.

Dress your windows with sophisticated drapery hardware full of personality and functionality. Our lineup of diverse styles, materials, finishes and sizes affords you the luxury to create distinctive windows in all settings. Beyond aesthetics, Brimar remains mindful of performance by offering drapery motorization, baton and corddrawn traverse systems, and custom pole bending services for residential and commercial spaces.



CONTENTS

Page	Collection	Pole Diameter	Pole Material	Max Pole Length	Draw Method	Add-On Options	
С	ONTEMPORARY	,					
7	CUBE	1 ½" square	Acrylic	8'	Standard or Bypass Rings	Rod Bending	
11	INNOVA	1 ½" square	Metal	16′	Traverse Glides	Corded System, Rod Bending, Ripplefold, Motorization	
15	PARK AVENUE	1 1/4″	Metal	16′	Traverse Glides	Corded System, Rod Bending, Ripplefold	
19	AFFINITY	1 1/2″	Metal	16'	Traverse Glides	Corded System, Rod Bending, Ripplefold, Motorization	
22	CS TRACKS	3/4″	Metal	16′	Traverse Glides	Corded System, Track Bending, Ripplefold	
25	MANHATTAN	1 ½″ x ³/8″	Metal	196.85″	Bypass Rings	Rod Bending	
29	PLATFORMS	1 7/8″x ¾″	Wood	8'	Bypass Rings or Traverse Glides	Motorization, Decorative Fascias	
33	ICE	1 1/8″	Acrylic or Metal	8' or 94 ½"	Standard or Bypass Rings	Rod Bending	
37	TUXEDO	1 1/8″	Metal	94 1⁄2″	Standard or Bypass Rings	Rod Bending	
40	FIFTH AVENUE	1 1⁄4″	Metal	10′	Rings	Rod Bending	
CL	CLASSIC						
45	VERSAILLES	2″	Wood	8'	Rings		
48	ENGLISH MANOR	2″	Wood	8'	Rings		
50	CHALET	3/4″	Metal or Wood	8'	Rings	Rod Bending	
53	SIGNATURE METAL	1 1/2"	Metal	10'	Rings or Traverse Glides	Corded System, Rod Bending	
55	METRO	1/2", 1", 1 1/2"	Metal	8'	Rings		


56 CUSTOM ROD BENDING

Metal or Acrylic

57 GENERAL INFO









ENDCAP DCU01 1½"L x 1½"H x 1½"D







METAL SQUARE RING DCU30

8' Length DCU21/ACR

METAL SQUARE C-RING DCU31

POLISHED NICKEL

PNK

Rectangular rings are artful and draw the eye upward while drawing drapes effortlessly.

FINISHES Complimentary finish samples available upon request.



BLACK ONYX

ONX



BRUSHED GOLD BGO

BRUSHED NICKEL BNK





SATIN GOLD SG0



48" CLEAR ACRYLIC BATON DPA9048/ACR

brimarinc.com 800.274.1205






Translucent poles create style without visual weight.

- Glamorous square acrylic hardware mixed with modern metal accessories.
- Translucent poles constructed of 35mm heavy-gauge acrylic built to withstand heavy draperies and daily use.
 One-way or center draw capability.
 C-rings bypass brackets creating a smooth continuous draw.
 To collect two poles will have a heaviest to provide processory conternations.

- To splice two poles utilize a bracket to provide necessary center support.
- Bracket conceals undesirable seams.
- Due to the unique nature of the pole, brackets are recommended every 2 feet to prevent bowing.
- Four drapery rings estimated per foot of pole.
 - Poles ship via FedEx or UPS.



DOUBLE BRACKET SYSTEM COMPONENTS



METAL SECONDARY RAIL DMX25/SNI 4' Length 9/16" Height x 7/16" Depth METAL SECONDARY RAIL DMX26/SNI 8' Length 9/16" Height x 7/16" Depth

RAIL ENDCAP DMX51/STL Attaches to secondary rail RAIL ADAPTER DCU51/SNI Attaches to bracket DCU41 or DCU45



METAL RAIL RUNNER DMX35/STL Fits Secondary Rail




CHOOSE BYPASS BRACKET OR EXTENDED SINGLE BRACKET













Necessary item to create pleated draperies Necessary item to create ripplefold draperies



OVERLAP MASTER CARRIER (Black) DPA2013/BK (White) DPA2013/WH



LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK (White) DPA2014/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH

mm



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH

RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.





1.6 times fullness

100% 1.8 times fullness

2 times fullness

120% 2.2 times fullness



BALL BEARING GLIDE (Black) DPA2250/BK (Gray) DPA2250/GR (White) DPA2250/WH Weight limitation per glide: 21/2" lbs.



ENDSTOP (Black) DPA7540/BK (White) DPA7540/WH



RIPPLEFOLD ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH



RIPPLEFOLD SNAP CARRIERS (Black) 25/8" on center for 60% fullness DPA2806/BK 23/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 17/8" on center for 120% fullness DPA2812/BK



RIPPLEFOLD SNAP CARRIERS (White) 25/8" on center for 60% fullness DPA2806/WH 23/8" on center for 80% fullness DPA2808/WH 2¹/8" on center for 100% fullness DPA2810/WH 17/8" on center for 120% fullness DPA2812/WH




RIPPLEFOLD SNAP TAPE (Black) DPA2945/BK (Clear) DPA2945/CLR (White) DPA2945/WH

Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK (Clear) DPA2946/CLR (White) DPA2946/WH

Sold per 100 yard roll. Snaps are 4¼" on center.



METAL SINGLE BRACKET DIN4300

METAL DOUBLE BRACKET DIN4400

METAL CEILING SUSPENSION BRACKET DPA7230 (shown on page 14) Specify suspension drop when ordering.

INNOVA MOTORIZATI



Drapery motorization is popular with homeowners and becoming the standard for hotel rooms. meeting venues and conference spaces.

Let us meet your motorization needs with our Innova state-of-the-art MOTRZ Track System.

MOTRZ makes spaces stand out in terms of image and functionality.

MOTRZ provides a convenient solution for glare reduction and privacy while reducing energy costs and protecting furnishings from UV ray damage.

MOTRZ creates a positive user experience with superior performance, reliability and ease of operation.

MOTRZ extends the lifespan of draperies by eliminating the damage associated with manual operation.

Motorization systems come pre-assembled with a pole, Brimar's MOTRZ motor, endstops, 6-channel remote and powercord. Additional parts and fees apply to integrate with home automation systems.



MOTORIZED SYSTEM DINM08 8' Length MOTORIZED SYSTEM DINM12 12' Length MOTORIZED SYSTEM DINM16 16' Length

HOW TO ORDER A MOTORIZED SYSTEM Please specify:


- Finished pole length
- Motor Location: left or right
- Draw Direction: center, left or right

• Carrier Type: for pleated or ripplefold draperies Note: Heavy fabric weight may require a heavy-duty motor or a tandem motor system. Brimar's motor is capable of handling up to 133 lbs.

Call us and we'll guide you through the ordering process.

- Innova is a modern 11/2" square collection featuring versatile draw options.
- Aluminum pole intended for all fabric types.
- · Glides/carriers bypass brackets for a long continuous draw. One-way or center draw capability.
- · Four drapery glides recommended per foot of pole.
- To splice two poles, position a bracket on each side of the splice for ample support. • One bracket recommended every 21/2 feet.
- For corded option, poles are pre-corded with glides and master carriers for easy installation. Please specify cord length and side of cord drop.
- · For motorization option, motors are capable of handling up to 133 lbs. Heavy fabric weights and longer system width may require a heavy-duty motor or a tandem motor system. Expect longer lead time for cord drawn and motorized systems.

Hardware orders under 10 feet long ship via FedEx or UPS.




ALL RE

PARK AVENUE POLE DIAMETER: 1 1/4'



RK AVF POLE DIAMETER: 1 1/4"



BALL BEARING GLIDE (Black) DPA2250/BK BALL BEARING GLIDE (Gray) DPA2250/GR BALL BEARING GLIDE (White) DPA2250/WH Weight limitation per glide: 21/2" lbs.



ENDSTOP (Black) DPA7540/BK ENDSTOP (White) DPA7540/WH



OVERLAP MASTER CARRIER (Black) DPA2013/BK OVERLAP MASTER CARRIER (White) DPA2013/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK UNDERLAP MASTER CARRIER (White) DPA2014/WH



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH




LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH

RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.





RIPPLEFOLD SNAP CARRIERS (Black) 25/8" on center for 60% fullness DPA2806/BK 2³/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 17/8" on center for 120% fullness DPA2812/BK





RIPPLEFOLD SNAP CARRIERS (White) 2⁵/8" on center for 60% fullness DPA2806/WH 2³/8" on center for 80% fullness DPA2808/WH 21/8" on center for 100% fullness DPA2810/WH 17/8" on center for 120% fullness DPA2812/WH



Necessary item to create pleated draperies Necessary item to create ripplefold draperies

RIPPLEFOLD ENDSTOP (Black) DPA7545/BK RIPPLEFOLD ENDSTOP (White) DPA7545/WH



RIPPLEFOLD SNAP TAPE (Back) DPA2945/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2945/CLR RIPPLEFOLD SNAP TAPE (White) DPA2945/WH Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH Sold per 100 yard roll. Snaps are 41/4" on center.





OVERLAP STIFFENER DPA2146/WH Sew stiffener to drape. Connect master carrier and baton. Fits ripplefold master carriers DPA2035 and DPA2036 only.








METAL SINGLE BRACKET (Black) DPA4300/BK METAL SINGLE BRACKET (White) DPA4300/WH



METAL ADJUSTABLE BRACKET (Black) DPA4740/BK METAL ADJUSTABLE BRACKET (White) DPA4740/WH



CEILING BRACKET (Black) DPA3010/BK CEILING BRACKET (White) DPA3010/WH




CEILING SPLICE BRACKET (Black) DPA2410/BK CEILING SPLICE BRACKET (White) DPA2410/WH





Necessary item to create pleated draperies Necessary item to create ripplefold draperies



GO

SBK

SCI

BWI

CRM


brimarinc.com 800.274.1205

STL

19

VCO






40" METAL BATON DX160

Solo .



RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH

Sold per 100 yard roll. Snaps are 41/4" on center.






RIPPLEFOLD ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH

Not available

in STL finish.

AFFINITY MOTORIZATI



Drapery motorization is popular with homeowners and becoming the standard for hotel rooms. meeting venues and conference spaces.

Let us meet your motorization needs with our Affinity state-of-the-art MOTRZ Track System.

MOTRZ makes spaces stand out in terms of image and functionality.

MOTRZ provides a convenient solution for glare reduction and privacy while reducing energy costs and protecting furnishings from UV ray damage.

MOTRZ creates a positive user experience with superior performance, reliability and ease of operation.

MOTRZ extends the lifespan of draperies by eliminating the damage associated with manual operation.

Motorization systems come pre-assembled with a pole, Brimar's MOTRZ motor, endstops, 6-channel remote and powercord. Additional parts and fees apply to integrate with home automation systems.



MOTORIZED SYSTEM DAFM08 8' Length MOTORIZED SYSTEM DAFM12 12' Length MOTORIZED SYSTEM DAFM16 16' Length

HOW TO ORDER A MOTORIZED SYSTEM

- Please specify:
- Finished pole length
- Motor Location: left or right
- Draw Direction: center, left or right
- Carrier Type: for pleated or ripplefold draperies
- Note: Heavy fabric weight may require a heavy-duty motor or a tandem motor system. Brimar's motor is capable of handling up to 133 lbs.

Call us and we'll guide you through the ordering process.

A sophisticated collection featuring clean lines and versatile draw options.

- Aluminum pole intended for all fabric types.
- Glides/carriers bypass brackets for a long continuous draw. One-way or center draw capability.
- Four drapery glides recommended per foot of pole.
- To splice two poles utilize a bracket to provide necessary center support.
- Bracket conceals undesirable seam. • One bracket recommended every 21/2 feet.
- For corded option, poles are pre-corded with glides and master carriers for easy installation. Please specify cord length and side of cord drop.
- · For motorization option, motors are capable of handling up to 133 lbs. Heavy fabric weights and longer system width may require a heavy-duty motor or a tandem motor system.

• Expect longer lead time for cord drawn and motorized systems.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.





CS TRACKS CAN BE HAND DRAWN OR CORD DRAWN



METAL CS TRACK DPA1604 4' Length ¾"Square METAL CS TRACK DPA1608 8' Length ¾"Square

METAL CS TRACK DPA1612 12' Length ¾"Square METAL CS TRACK DPA1616

16' Length ¾"Square

CS TRACK ENDCAP (White) DPA2345/WH CS TRACK ENDCAP (Black) DPA2345/BK ¾"Square



CORD DRAWN OPTION

To order, select CS track item #, then add corded item # below.

Poles are preassembled for: Pleated drapes (one-way draw) DIN901KIT Pleated drapes (center draw) DIN902KIT Ripplefold drapes (one-way draw) DIN903KIT Ripplefold drapes (center draw) DIN904KITT

Standard cord drop length is 96." Custom lengths available. Please specify cord length and side of cord drop when ordering.

Please specify the following when ordering a corded system:

- Finished pole length
- Cord Location: left or right
- Draw Direction: center, left or right
- Carrier Type: for pleated or ripplefold drapes

• Cord Drop Length (standard 96." Custom lengths are available). Note: All cord-drawn systems include a tension pulley.

Maximum drapery weight for corded poles & CS tracks: 60 lbs.



Pole lengths are cut to order.






MITRE CUT DP901

CUSTOM BENDING OPTIONS



S TRAC TRACK DEPTH: 3/4'





BALL BEARING GLIDE (Black) DPA2250/BK BALL BEARING GLIDE (Gray) DPA2250/GR BALL BEARING GLIDE (White) DPA2250/WH Weight limitation per glide: 21/2" lbs.



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



ENDSTOP (Black) DPA7540/BK ENDSTOP (White) DPA7540/WH





Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making

RIPPLEFOLD FULLNESS OPTIONS

them ideal for sheers and room dividers.

OVERLAP MASTER CARRIER (Black) DPA2013/BK

OVERLAP MASTER CARRIER (White) DPA2013/WH


LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK UNDERLAP MASTER CARRIER (White) DPA2014/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH



RIPPLEFOLD SNAP CARRIERS (Black)

25/8" on center for 60% fullness DPA2806/BK

2³/8" on center for 80% fullness DPA2808/BK

21/8" on center for 100% fullness DPA2810/BK

17/8" on center for 120% fullness DPA2812/BK

1.6 times fullness

100% 1.8 times fullness 2 times fullness

2.2 times fullness



RIPPLEFOLD SNAP CARRIERS (White) 25/8" on center for 60% fullness DPA2806/WH 2³/8" on center for 80% fullness DPA2808/WH 21/8" on center for 100% fullness DPA2810/WH 17/8" on center for 120% fullness DPA2812/WH

RIPPLEFOLD UNDERLAP MASTER CARRIER

(White) DPA2036/WH

Use with Stiffener DPA2146/WH

1**20**%



RIPPLEFOLD SNAP TAPE (Black) DPA2945/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2945/CLR RIPPLEFOLD SNAP TAPE (White) DPA2945/WH Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH Sold per 100 yard roll. Snaps are 41/4" on center.



OVERLAP STIFFENER DPA2146/WH Sew to drape and connect master carrier and baton. Fits master carriers DPA2035 and DPA2036 only.



RIPPI FFOLD ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH



- CS Tracks offered with a choice of traverse glides or cord draw options. Corded systems are preassembled. Please allow for longer lead times.
- · Ripplefold hardware available to produce tailored draperies with
- · Ball-bearing glides and ripplefold carriers provide ultra smooth
- · Glides/carriers bypass brackets for a long continuous draw. One-way or
- For center draw treatments use an overlap or underlap master carrier to prevent a gap between the panels to prevent light from coming through.
- Order an even number of glides to ensure the drape returns into the wall.

- To splice two traverse poles position a bracket on each side of the splice
- Use endstops to hold drapery treatments in place.
- Poles under 108" ship UPS or FedEx. Poles over 108" ship via common

48" CLEAR ACRYLIC BATON DPA9048/ACR













Our double bracket system supports multi panel draperies.


DOUBLE BRACKET SYSTEM COMPONENTS



- A. STEEL DOUBLE BRACKET DMX41/STL
- B. 4' SECONDARY RAIL DMX25/SNI
 8' SECONDARY RAIL DMX26/SNI
 16' SECONDARY RAIL DMX27/SNI
- C. RAIL ADAPTER (attaches rail to double bracket) DMX50/SNI
- D. METAL RAIL RUNNER DMX35/STL
- E. METAL ENDCAP (attaches to secondary rail) DMX51/STL




STEEL SINGLE BRACKET DMX40/STL Fits Steel Pole



STEEL SINGLE CENTER SPLICE BRACKET DMX42/STL Use to splice two steel poles.

Cheff (



STEEL SINGLE EXTENDED BRACKET DMX41/STL Fits Steel Pole



STEEL RETURN BRACKET (Right) DMX45/STL STEEL RETURN BRACKET (Left) DMX46/STL

40" STEEL BATON DTX50/STL

41"-77" CUSTOM STEEL BATON DTX53/STL



STEEL CEILING BRACKET DMX44/STL

36" CLEAR ACRYLIC BATON DPA9036/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR





PLATFORMS POLE: 1 7/8"H × 3/4"D









PLATFORMS ADDS A DECORATIVE TOUCH TO MOTORIZED TRACKS.

The two-inch Platforms rod functions as a decorative wood fascia to our industrial Somfy Glydea[™] motorized track. We affix the rod to the track for a refined designer look. Contact Client Services for more information regarding this option.










CLEAR ACRYLIC TIEBACK DTX60/ACR



STEEL TIEBACK DTX61/STL

- A sleek collection fusing translucent acrylic and modern steel.
 Hand drawn system. Baton recommended.
 Steel pole intended for all fabric types. Acrylic pole intended for light fabrics to best
- Steep pole intended for an fabric types. Actylic pole intended for light fabrics to bes avoid bowing.
 To splice two steel poles utilize a bracket to provide necessary center support. Bracket conceals undesirable seam.
 For metal poles, one bracket is recommended every 2½ feet. For acrylic poles, one bracket is recommended every 2 feet to prevent bowing.
 Four drapery rings estimated per foot of pole.

Poles ship via FedEx or UPS.








4' Length 11/8" Diameter CLEAR ACRYLIC POLE DTX26/ACR 8' Length 11/8" Diameter SPLICE SCREW DA920 Acrylic poles cannot be custom bent.




STEEL POLE DTX20/STL 471/4" Length 1¹/8" Diameter STEEL POLE DTX21/STL 941/2" Length 1¹/8" Diameter SPLICE CONNECTOR (INTERNAL) DTX52 POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900	
/	
MITRE CUT DP901	



Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.









ONYX FINIAL DTX73/ONX 51/2"L x 13/4"H x 11/4"D



BEECHWOOD BALL FINIAL DTX06/BWD





TURNED STEEL FINIAL DTX08/STL 31/8"L x 11/2"H x 11/4"D



STEEL ENDCAP DTX12/STL 1"L x 1¼"H x 1¼"D

-*Finial pattern may vary.



TORTOISE FINIAL DTX03/TOR* 5¼"L x 15/8"H x 1¼"D

TEXTURED OVAL FINIAL DTX75/TTW

41/2"L x 21/2"H x 11/4"D

CONVEX STEEL FINIAL DTX07/STL

41/8"L x 11/2"H x 11/8"D



IVORY FINIAL DTX02/IVR* 5¼"L x 1⁵/8"H x 1¼"D



TEXTURED TORTOISE FINIAL DTX01/TTR * 51/4" L x 15/8" H x 11/4" D



CARVED WOOD FINIAL DTX70/BWD 41/2"L x 11/4"H x 11/4"D



TEXTURED WOOD FINIAL DTX72/HON 41/2"L x 11/4"H x 11/4"D



HAMMERED BALL FINIAL DTX74/BST 4¼"L x 1¼"H x 3"D



HAMMERED METAL FINIAL DTX71/STL 4½"L x 1¼"H x 1¼"D



CONCAVE STEEL FINIAL DTX09/STL 4⁵/8"L x 2¹/8"H x 11/4"D



CLEAR ACRYLIC BALL FINIAL DTX10/ACR 3⁷/8"L x 2½"H x 1¼"D



6¼"L x 1¼"H x 1¼"D




CLEAR ACRYLIC TURNED FINIAL DTX11/ACR



A contemporary collection featuring metal, wood and resin pieces that can be mixed and matched for a layered look.
Hand drawn system. Baton recommended.
One-way or center draw capability.
C-rings bypass brackets creating a smooth continuous draw.
Steel pole intended for all fabric types.
To splice two poles utilize a bracket to provide necessary center support. Bracket conceals undesirable seam.
One bracket recommended every 2½ feet

- One bracket recommended every 21/2 feet. •
- Four drapery rings estimated per foot of pole.


Poles ship via FedEx or UPS.



CLEAR ACRYLIC TIEBACK DTX60/ACR

STEEL TIEBACK DTX61/STL













FINISHES Complimentary finish samples available upon request.




40





METAL WALL/CEILING BRACKET DX141 Bracket projection may be reduced from 5¼" max to 2 5/8" min Custom Bracket Cut DB900



METAL DOUBLE BRACKET DX142 Bracket projection may be reduced from 4³/4" max to 2¹/2" min Custom Bracket Cut DB900



METAL RETURN BRACKET DX143 Splice Connector DTX52 required.

21/8"

INSIDE MOUNT DPA1200



METAL ADJUSTABLE ELBOW DX180



36" CLEAR ACRYLIC BATON DPA9036/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR












SPLICE SCREW DA920


SPLICE SCREW DA920

MITRE CUT DP901


FINSHES Complimentary finish samples available upon request.









DECORATIVE WOOD RING DWG30 ½" Thickness



PLAIN WOOD RING DWG31* 1/2" Thickness




DECORATIVE WOOD BRACKET DWG41



METAL WALL/CEILING BRACKET DWG46*



METAL WALL/CEILING BRACKET DWG47*



METAL BRACKET DWG40



INSIDE MOUNT SET DWG43











STOCKBRIDGE FINIAL DEM01 6"L x 4¼"H x 25/8"D



WADDESDON FINIAL DEM04 2½"L x 3½"H x 3"D



SMOOTH WOOD POLE DEM20 4' Length 2"Diameter SMOOTH WOOD POLE DEM21 8' Length 2"Diameter

SPLICE SCREW DA920



AVEBURY FINIAL DEM02 41/2"L x 3"H x 21/2"D



PORTLEDGE FINIAL DEM03 31/2"L x 41/4"H x 23/8"D



WINGFIELD FINIAL DEM05 11/4"L x 23/4"H x 21/2"D


POLE CUT OPTIONS

Pole lengths are cut to order.





STRAIGHT CUT DP900

____/_ MITRE CUT DP901



36" CLEAR ACRYLIC BATON DPA9036/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR





FINISHES Complimentary finish samples available upon request.





ANTIQUE OAK AOK



PINE PNE





IRON BALL FINIAL DCH01/FGI 2¾"L x 2"H x 1"D



LEATHER CYLINDER FINIAL DCH05/LTW $4^{1}/_{8}$ "L x 1"H x 1"D



IRON TWIST FINIAL DCH02/FGI 61/8"L x 13/4"H x 1"D



TURNED WOOD FINIAL DCH07/TWI 4½"L x 2½"H x 1"D



CROPPED OVAL WOOD FINIAL DCH06/TTW $3^{1}\!\!/_{4}^{\prime\prime}L$ x $2^{\prime\prime}H$ x $1^{\prime\prime}D$




WOOD PYRAMID FINIAL DCH08/TWI 2¾"L x 2"H x 1"D




IRON ENDCAP DCH09/FGI 1"L x 1"H x 1"D










ID:11/8 OD:17/8

DROP: 21/2"







FORGED IRON SINGLE BRACKET DCH40/FGI


51/2′

TEXTURED WOOD RING DCH30/TWD 1/4" Thickness


FORGED IRON DOUBLE BRACKET DCH41/FGI

FORGED IRON CEILING BRACKET DCH44/FGI

INSIDE MOUNT DCH45/FGI



TEXTURED WOOD SINGLE BRACKET DCH42/TWD




ID:1 OD:11/8"

FORGED IRON HOOK RING DCH31/FGI 1/4" Thickness

DROP: 21/2"

FORGED IRON STANDARD BRACKET DCH46/FGI



FORGED IRON RETURN BRACKET DCH43/FGI Fits iron Chalet pole only. Includes splice connector.




48" CLEAR ACRYLIC BATON DPA9048/ACR

40" FORGED IRON BATON WITH LEATHER HANDLE DCH60/LTW




SIGNATURE METAL









ANTIQUE GOLD ANTIQUE EGO A

ANTIQUE OIL BLACK AOB

CUSTOM BENDING


Our specialty is bending poles and providing hardware solutions.

Allow us to custom bend our metal poles, CS tracks or square acrylic poles for your next window treatment project where bow and bay windows reside. French returns are also our specialty.

We make it easy to order custom curved rods in 3 simple steps.

1) Select a collection 2) Request a quote 3) Send us a brown-craft paper template ... we'll do the rest!





COLLECTIONS

CHALET	3/4" METAL POLE	PAGE 50
CS TRACKS	3/4" SQUARE METAL TRACK	PAGE 22
TUXEDO	1 1/8" METAL POLE	PAGE 38
FIFTH AVENUE	1 1/4" METAL POLE	PAGE 40
PARK AVENUE	1 1/4" METAL POLE	PAGE 15
AFFINITY	1 1/2" METAL POLE	PAGE 19
CUBE	1 1/2" SQUARE LUCITE POLE	PAGE 7
INNOVA	1 1/2" SQUARE METAL POLE	PAGE 11
MANHATTAN	1 1/2"H x 3/8"D METAL POLE	PAGE 25

GENERAL INFORMATION

ORDERING GUIDELINES

Please indicate the following when placing an order (items are sold individually).

- Select pole diameter, length and finish
- Select corresponding finial and finish
- Select brackets and rings/glides. Please note: When ordering pole lengths over 6 feet, additional brackets are recommended for support.
- Select accessories
- Please let us know of any special instructions when placing an order. Your install date is extremely helpful.

Cord drawn and motorized systems require additional information:

- Finished length of your pole
- Draw direction: center, left or right
- Is this an inside or outside mount?
- Cord or motor location: left or right
- Desired cord drop length? Our standard is 96"
- Please allow 15-20 days for custom motorized or cord drawn product

There are convenient order forms available at brimarinc.com to assist you. Our Client Services team is also available to answer questions during the planning and ordering process. Please refer to bracket guidelines within each collection. We cannot guarantee against sagging due to unsupported pole spans over our recommendations.

HOW TO MEASURE

- To get started, measure the width of the window from the outer frame. To allow for finial and bracket placement outside of the frame, we recommend an additional 2"-4" per side. Installing the brackets into wall studs provides the most secure installation.
- For hardware mounted near a wall or corner, please allow ample room for finial placement.
- When determining the length of your drapery panel, please consider the drop length of the drapery rings shown within each collection.

CUSTOM LENGTHS

Brimar offers poles in increments specified in this catalog and in our price list. Custom cuts including mitre cuts are available upon request. Fall off will be sent upon request only. Please include detailed written instructions with your order. Custom cut hardware is non-refundable and non-returnable. Custom cut orders cannot be cancelled once they are in process.

CUSTOM POLE BENDS

We offer custom bends on many of our collections including bow (continuous), bay and 90 degree bends. A convenient Bending Worksheet is available at brimarinc.com to assist in the quote request and ordering process. A written quote is required and will be provided once we receive your specifications.

Templates are necessary for all bow bends. A template is preferred for bay bends, although providing us with overall dimensions, angles of the bend and dimensions between bends will be accepted. The customer is expected to advise if dimensions are wall measurements or pole measurements when providing the template. There is a 10-15 day lead time on custom bends. Custom pole bends are shipped via common carrier.

INSTALLATION

All hardware should be installed by a professional installer. Brimar is not responsible for damages caused by improperly mounted or inadequately supported hardware. We recommend a center support bracket at all splice points. All cord drawn systems come with a tension pulley that must be installed so the cord is not dangling free.

FINISHES

Many of our finishes are hand-applied by skilled artisans; therefore, no two pieces are exactly alike. Wooden hardware is a product whereby color and grain variations are natural and should be expected. We recommend ordering sampling tools to aid you in your finish selection as finishes can vary.

PRICES

Prices are subject to change without notice. Prices are quoted exclusive of Freight and Handling and are shown in United States currency (\$). View our pricing online by logging in to brimarinc.com.

REMEDY OF DEFECT

Brimar warrants that the goods will be free of defects in materials or workmanship; however, seller's sole obligation shall be to repair or replace, at its option, goods found to be defective. Some handmade items may vary in size.

RETURN POLICY


No returns will be accepted without prior authorization from our Client Services team. No returns after 30 days. Custom cut products and pole bends are nonrefundable and non-returnable. A completed Return Authorization Form must be included with the return. A 20% restocking fee applies and return freight must be pre-paid by the customer. Product authorized for return must be in our current price list, in original condition and properly packaged. Credit is issued on returned goods that are inspected and deemed undamaged.

DELIVERY & SHIPPING

All orders are shipped FOB Lake Forest, IL. Pole lengths over 10 feet are shipped via common carrier. Inspect all shipments immediately upon receipt to ensure there is no shipping damage. If there is shipping damage, please contact Brimar within 48 hours to begin the claims process. Freight companies require items to be kept for inspection.

Details make all the difference!

Brimar trimmings lend a beautiful finishing touch to window treatments, furnishings and accessories. With over 10,000 product choices, a variety of colors, sizes and designs await you. Our styles range from *natural* beauties in linen, jute and hair-on-hide to *novelty* trims which are eco-friendly, marvelously metallic, and built for the outdoors. Our website helps you specify product faster, leaving you more time for clients and creativity.



Our online search tool returns only the trim colors and styles matching your search requirements, eliminating irrelevant options to save you on time.

While online, explore our diverse drapery hardware section. You can search by Collection or Pole Diameter. When landing on that perfect item, you have the ability to log in to check inventory & prices, request finish chips, and order online. Get started by visiting **BRIMARINC.COM**



28250 Ballard Drive, Lake Forest IL 60045-4536 o 800.274.1205 f 847.247.9270 orimar@brimarinc.com www.brimarinc.com